

IN THE CLAIMS:

Please cancel Claims 14 to 38 and 42 to 46 without prejudice or disclaimer of subject matter. Please add new Claims 48 to 53 as shown below and please amend Claims 39, 41 and 47 as follows. The claims, as pending in the subject application, read as follows:

1. to 38. (Cancelled)

39. (Currently Amended) A system which outputs information of an information generating terminal to a predetermined output terminal via a network, wherein said information generating terminal ~~comprises~~ comprising:

sensing means for sensing status information relating to a position of the information generating terminal itself;

~~generating means for generating information to be transferred;~~ and

first transmitting means for transferring the status information sensed by said sensing means to a predetermined server ~~on the network~~ so as to store the status information in storage means of the server;

said server ~~comprises~~ comprising:

generating means for generating, on the basis of the status information, display information related to terminal identifying communication information identifying the information generating terminal so that the output terminal can directly designate the information generating terminal; and

second transmitting means for transmitting; the display information
to the output terminal; ~~the status information of the information generating terminal stored~~
~~in said storage means and terminal identifying communication information identifying the~~
~~information generating terminal so that the output terminal can directly designate the~~
~~information generating terminal; and~~

said output terminal comprising:

communication means for receiving the ~~status~~ display information
and the ~~terminal identifying communication information~~ transferred from said sever, for
referring to the received status information, and for receiving information from said
information generating terminal directly by accessing said information generating terminal
using the display information related to the terminal identifying communication
information; and

output means for outputting information from said information
generating terminal.

40. (Previously Added) The system according to Claim 39, wherein said
terminal identifying communication information is address information of said information
generating terminal on the network.

41. (Currently Amended) A communication apparatus for outputting
information of on an information generating terminal to an output terminal via a network,
comprising:

receiving means for receiving status information ~~of~~ on said information generating terminal; and

generating means for generating display information on the basis of the status information, the display information being related to terminal identifying communication information to identify the information generating terminal; and

Post
transmission means for transferring, to said output terminal, the ~~status display~~ information received by said receiving means and terminal identifying communication information which is used for communication with said information generating apparatus directly,

wherein said output terminal ~~refers to the status information and receives information from said information generating terminal directly by communicating with the information generating terminal using~~ accesses the information generating terminal by referring to the display information related to the terminal identifying communication information.

42. to 46 (Cancelled)

Post
47. (Currently Amended) A computer readable medium which stores program code for a communication apparatus for outputting information of an information generating terminal to an output terminal via a network, the program code comprising the steps of:

receiving status information on a position of said information generating terminal; and

generating display information on the basis of the status information, the display information being related to terminal identifying communication information to identify the information generating terminal; and

transferring, to said output terminal, the status display information received by said receiving step and terminal identifying communication information which is used for communication with said information generating apparatus directly,

wherein said output terminal refers to the status information and receives information from said information generating terminal directly by communicating with the information generating terminal using accesses the information generating terminal by referring to the display information related to the terminal identifying communication information.

48. (New) A communication apparatus to output information on an information generating terminal to an output terminal via a network, comprising:


a generating device adapted to generate display information on the basis of position status information, the display information being related to terminal identifying communication information to identify the information generating terminal; and

a communication device adapted to receive the status information on the information generating terminal, and transmit the display information, generated by said generating device, to the output terminal,

wherein the output terminal accesses the information generating terminal by referring to the display information related to the terminal identifying communication information.

49. (New) The apparatus according to Claim 48, wherein the display information includes geographic map information.

50. (New) The apparatus according to Claim 48, wherein the terminal identifying communication information includes a URL.

 51. (New) A communication method to output information on an information generating terminal to an output terminal via a network, comprising the steps of:

sensing status information on a position of the information generating terminal;

generating display information on the basis of the status information, the display information being related to terminal identifying communication information to identify the information generating terminal; and

accessing the information generating terminal by referring to the display information related to the terminal identifying communication information.

52. (New) The method according to Claim 51, wherein the display information includes geographic map information.

10/3/13

53. (New) The method according to Claim 51, wherein the terminal identifying communication information includes a URL.